

Exam IN4301 Advanced Algorithms

January 24 2011

- Use a separate sheet for each question.
- This is a closed book examination with 4 questions worth of 100 points in total.
- Your mark for this exam will be the number of points divided by 10.
- If you have at least a 5.0 for this exam, the average of the two programming exercises, as well as the average of the 8 homework exercises, your final mark for this course is the average of these three marks, rounded to the nearest half of a whole number. That is, 9.7 is rounded to 9.5, and 5.8 is rounded to 6.
- Use of book, readers, notes, and slides is not allowed.
- Use of (graphical) calculators is not permitted.
- Specify your name, student number and degree program, and indicate the total number of submitted pages on the first page.
- Write clearly, use correct English, and avoid verbose explanations. Giving irrelevant information may lead to a reduction in your score.
Notice that almost all questions can be answered in a few lines!
- This exam covers Chapters 10 and 11 of Kleinberg, J. and Tardos, E. (2005), *Algorithm Design*, all information on the slides of the course, and the set of papers as described in the study guide.
- The total number of pages of this exam is 3 (excluding this front page).

1. (a) (6 points) Suppose that for a given bounded search tree it is known that each node representing a problem of size n has at most two child nodes, one representing a problem of size at most $n-1$ and one of size at most $n-4$. Furthermore suppose that these child nodes can be found in linear time. Describe how you would determine an upper bound on the run time of an algorithm using this search tree on an input of size n .
- (b) (6 points) Suppose we have a problem instance with a parameter k , and an algorithm for that problem with a run time bounded by $f(k) \cdot p(n)$ time, where
 - f is a (usually exponential) function depending only on the parameter k
 - p is a polynomial function.

Is this problem fixed parameter tractable? Is it kernelizable?

For the following two questions, let a graph $G = (V, E)$ with n vertices as well as a tree decomposition $(T, \{V_t\})$ of G be given.

- (c) (7 points) Let any set of vertices $S \subseteq V$ be given. Prove that if for every piece $t \in T$ the subgraph induced by $V_t \setminus S$ does not contain any cycle, then G does not contain any cycle. (Hint: Use the property of a tree decomposition T that says that if a piece is removed from the graph, the resulting subgraphs for two different pieces have no edge with one end in each of them.)
- (d) (6 points) Consider the problem of finding a subset S of V of minimal size such that the graph induced by $V \setminus S$ does not contain any cycles. Using the statement in the previous question, the following recursive function determines the minimal size of such a set S . Initially this function is called by $\text{Min-FVS}(T, r, V_r, \emptyset)$ where r is the root node of the tree decomposition T . For a call on a node t , the third argument denotes the vertices in V_t still to be considered, and the fourth argument the vertices in V_t for which a decision has already been made.

$$\text{Min-FVS}(T, t, V, S) = \min_{\{S' \subseteq V \mid \text{no cycle in } G[V_t \setminus (S \cup S')]\}} (|S'| + \sum_{\text{child } t' \text{ of } t} \text{Min-FVS}(T, t', V_{t'} \setminus V_t, (S \cup S') \cap V_{t'}))$$

Suppose the tree decomposition has width w . Determine a tight upper bound on the run time of this algorithm and explain how you arrive at that bound.

2. (a) (4 points) Give the general definition of the performance ratio of an approximation algorithm A for a problem X .
- (b) (6 points) In the Subset Sum problem, we have a multi-set S of positive integers and a target sum t . The problem is to collect a subset S' from S such that the sum of all the integers in S' is not larger than t and comes as close to t as possible. Suppose we have an approximation algorithm A for this problem. We apply A on a problem instance where $t = 100$. The algorithm returns a solution S' where the total sum of the integers in S' equals 80. Is it justified to conclude that the approximation ratio of the algorithm A is at least 1.25? Motivate your answer.
- (c) (8 points) The Longest Processing Time (LPT) algorithm is an approximation algorithm that is an $\frac{4}{3} - \frac{1}{3m}$ approximation algorithm for the load balancing problem, where m is the number of machines. This means that for 2 machines the algorithm achieves a $\frac{7}{6}$ -approximation ratio. We can do better if we apply LPT to the following class of instances: There are 2 machines and the set of jobs consists of jobs having a processing time between 0.5 and 5 and the total processing time T of all jobs together is at least 400. Prove that for this class of instances the approximation ratio of LPT is bounded above by $81/80$.

- (d) (7 points) What is an $[a, b]$ -gap introducing reduction from an NP-hard decision problem A to a minimization problem B ? Give a definition to answer this question.
Give a simple argument for the proposition that if there exists such an $[a, b]$ -gap introducing reduction and B has a b/a -approximation algorithm, A can be solved in polynomial time.
3. (a) (4 points) In a given primal linear program one of the specific constraints turns out to be an equality. Consider the dual variable associated with this constraint. What are its sign restrictions in the dual program?
- (b) (8 points) Consider a Boolean linear program, where we choose Boolean variables -1 and 1 . Let a , b and c be Boolean variables occurring in the program. Consider the non-linear inequality $ab + bc + ac \geq -1$ (a so called triangle inequality). Show that we may add this inequality to the program without eliminating solutions and show that it becomes a linear inequality in the semi-definite relaxation. There are three other such triangle inequalities of the form $(+/-)ab(+/-)bc(+/-)ac \geq -1$. Which ones?
- (c) (5 points) In a given integer linear program four of the inequalities are

$$3x - 2y + z \leq 11 \quad (1)$$

$$x + y - 3z \leq 6 \quad (2)$$

$$-x + 2y \leq -1 \quad (3)$$

$$z \leq 4 \quad (4)$$

Derive the Chvatal cuts

$$x - z \leq 4 \quad (5)$$

and

$$y \leq 3. \quad (6)$$

- (d) (8 points) We consider the graph with two points, being connected with an edge of weight 1. The solution for the max-cut problem is trivial: the max-cut value is 1 and the solution consists of just cutting the only existing edge. Write down the semi-definite relaxation for this problem explicitly and solve it by hand. Explain the calculations clearly in terms of the sd relaxation. Hint: a matrix is semi positive definite iff all its eigenvalues are nonnegative.
4. In the last three lectures, the class of evolutionary algorithms, the subclasses of evolutionary local search and estimation-of-distribution algorithms as well as the (re)design of these algorithms for multi-objective optimization were discussed.
- (a) (6 points) What is a marginal product model, how can it be used in optimization with an estimation-of-distribution algorithm and why is it sometimes important to do so?
- (b) (6 points) Explain the difference between (general) evolutionary algorithms and evolutionary (genetic) local search and describe and explain the conditions under which evolutionary local search is generally considered to be superior.
- (c) (6 points) Explain how a single-objective local search algorithm can be made to work via distance-based scalarization if the optimization problem is multi-objective and describe for any solution a way to do distance-based scalarization such that it can be found in the Pareto optimal set.

- (d) (7 points) Explain why using a mating restriction (preventing certain solutions to be combined with other solutions in the variation operator) in multi-objective optimization can be beneficial and give an example of how a useful mating restriction for multi-objective optimization can be established.

